

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME IV

(New names and final members of new combinations are in heavy-face type.)

Abies grandis, duration of leaves in, 149; host of Uredinopsis, 332; lasiocarpa, host of Uredinopsis, 332

Abnormalities in the inflorescence of Spiraea Vanhouttei, 624

Achlya, a form lacking sexual reproduction, 354

Aecidium abscedens, 46; Borreriae, 46; circumscriptum (syn.), 49; Cissi (syn.), 49; Clibadii (syn.), 49; decoloratum (syn.), 49; expansum (syn.), 51; passifloriicola, 46, Tournejortiae, 46; tubulosum, 46

Agaricaceae, taxonomy of, 315 Agarics, development of, 221

Alternaria, taxonomic characters of, 439 Antagonistic action of other sugars toward galactose and mannose, 430

Arbutus menziesii, 153

Arctostaphylos tomentosa, uva-ursa, 154 Ascospore production, in Endothia, 18 Asthma, caused by wheat protein, 417

BARTLETT, H. H. (see La Rue, Carl D., 119)

Berberis aquifolia, nervosa, 154 BLIZZARD, A. W. The development of some species of Agarics, 221 Botryorhiza Hippocrateae, 47; 52

Carbohydrates, effect of, on development of rusts, 197

Carbon dioxide, effect of lack of, on development of rusts, 195

Castanea dentata, host of Endothia, 3, 112; pumila, host of Endothia, 3 Ceanothus velutinus, 153

Chestnut blight, 1

Chimaphila menziesii, umbellata, 154 Chlorophyll formation, influence of, 407 Cichorium intybus, fertility in, 375

Cissus sicyoides, host of Endophyllum,

Clibadium arboreum, Donnell-Smithii, erosum, surinamense, hosts of Endophyllum decoloratum, 50

Climatic factors, influence of, on the development of Endothia parasitica, I Clitocybe adirondackensis, cerussata, development of, 226, 228

Clitopilus noveboracensis, development of, 230

Coleosporium solidaginis, 334

Conductivity of electrolytes, 411

Cortinarius pholideus, development of, 520 Crown-rot of fruit trees: histological studies, 477

Cyrtandra, revision of the Hawaiian species of, 604

Cyrtandra cyaneoides, 620; filipes, 621; grandiflora, 621; longifolia, 611, var. arborescens, 611, var. calpidicarpa, 618, var. degenerans, 613, formae auriculaefolia, 618, cymosa, 616, oppositifolia, 616, subglabra, 615; oenobarba, 622, var. petiolaris, 622, var. herbacea, 623; paludosa var. alnifolia, 607, var. brevicalyx, 607, var. Gayana, 608, var. haupuensis, 609, var. microcarpa, 607, var. subherbacea, 608, var. typica, 605; Waianuensis, 618

Development of Cortinarius pholideus, 520

Development of some species of Agarics, 22 I

Drabas of North America, 253

Draba alpina, 257; argyrea, 266; asterophora, 263; Bellii, 261; cruciata, 265; cyclomorpha, 263; Douglasii, 259; fladnizensis, 257; globosa, 257; incerta, 261; laevicapsula, 262; Lemmoni, 263;

lonchocarpa, 262; Mulfordae, 264; Nelsonii, 259; nivalis, 262; oligosperma, 259; oreibata, 257; pterosperma, 266; sphaerocarpa, 266; sphaeroides, 265; sphaerula, 258; subsessilis, 267; uncinalis, 265; ventosa, 264; vestita, 261 Duration of leaves in evergreens, 145

Effect of soil temperature on the growth of bean plants and upon their susceptibility to a root parasite, 513

Electrolytes, measurement of the conductivity of, 411

ELLIOTT, JOHN A. Taxonomic characters of the genera Alternaria and Macrosporium, 439

Endemic flora, origin of, in Hawaii, 602 Endophyllum circumscriptum, 49, 52; decoloratum, 49, 52; Stachytarphetae, 50, 52; Wedeliae, 49, 52

Endophyllum-like rusts of Porto Rico, 44 Endosperm color, inheritance of, in maize, 396

Endothia parasitica, influence of climatic factors on the development of, 7; gyrosa, 7; radicalis, 7; Influence of temperature on growth of, 112

Endothia pigments, 336

Environment, as related to leaf-structure, 533

Evaporation, relation between, and plant succession, 161

Evergreens, duration of leaves in, 145

Fertility in *Cichorium intybus:* the sporadic occurrence of self-fertile plants among the progeny of self-sterile plants, 375

Fritillaria, rusts on, 368

Fusarium Martii phaseoli, root parasite of beans, 513

Galactose, toxicity of, for green plants, 430

Galls, produced by Gymnosporangia, on cedar, 241

Galvanometer, use of, with a 60-cycle

alternating current in the measurement of the conductivity of electrolytes, 411

GATES, FRANK C. The relation between evaporation and plant succession in a given area, 161

Gaultheria shallon, 154

Green, Newton B. The use of the vibration galvanometer with a 6o-cycle alternating current in the measurement of the conductivity of electrolytes, 411

GROSSENBACHER, J. G. Crown-rot of fruit trees: histological studies, 477

Gunnera petaloidea Gaud., a remarkable plant of the Hawaiian Islands, 33; manicata, 33

Gymnosporangium globosum, producing galls on cedar, 246; Juniperi-virginianae, producing galls on cedar, 241

Halorrhagaceae, 35

Hanson, Herbert C. Leaf-structure as related to environment, 533

HARRIS, J. ARTHUR. On the distribution of abnormalities in the inflorescence of *Spiraea Vanhouttei*, 624; and LAWRENCE, JOHN V. The osmotic concentration of the tissue fluids of Jamaican montane rain-forest vegetation, 268

HARVEY, R. B. and TRUE, R. H. The influence of light and chlorophyll formation on the minimum toxic concentration of magnesium nitrate for the squash, 407

Hawaii, Gunnera petaloidea occurring in, 33; phytogeography of Manoa Valley in, 561

Hawaiian species of the genus Cyrtandra, section Cylindrocalyces Hillebr., 604

HAWKINS, LON A. and STEVENS, NEIL E. Endothia pigments I, 336

Hippocratea volubilis, host of Botry-orhiza, 48

HUBERT, ERNEST E. (See Weir, James R., 327)

Humidity, effect of, on development of rusts, 188

Immunochemical studies of the plant proteins: proteins of the wheat seed and other cereals, 417

Influence of certain climatic factors on the development of *Endothia parasitica* (Murr.) And., 7

Influence of temperature on the growth of *Endothia parasitica*, 112

Inheritance of endosperm color in maize, 396

Jamaican montane rain-forest vegetation, 268

Juniperus scopulorum, duration of leaves in, 149

Kalmia polifolia, 154

KNUDSON, LEWIS. The toxicity of galactose and mannose for green plants and the antagonistic action of other sugars toward these, 430

LA RUE, CARL D. and BARTLETT, H. H. Matroclinic inheritance in mutation crosses of *Oenothera Reynoldsii*, 119

LAWRENCE, JOHN V. (See Harris, J. Arthur, 268)

Leaf-structure as related to environment, 533

Ledum groenlandicum, 154

Light and chlorophyll formation, influence of, on the minimum toxic concentration of magnesium nitrate for the squash, 407

Light, effect of, on development of rusts, 191

Linnaea americana, 153

Lutz, Anne M. Fifteen- and sixteenchromosome Oenothera mutants, 53

MACCAUGHEY, VAUGHAN. Gunnera petaloidea Gaud., a remarkable plant of the Hawaiian Islands, 33; The phytogeography of Manoa Valley, Hawaiian Islands, 561 Macrosporium, taxonomic characters of, 439

Magnesium nitrate, toxic concentration of, 407

Mains, E. B. The relation of some rusts to the physiology of their hosts, 179

Maize, inheritance of endosperm color in, 396

Mannose, toxicity of, for green plants, 430

Manoa Valley, Hawaii, phytogeography of, 561

Matroclinic inheritance in mutation crosses of Oenothera Reynoldsii, 119

Micromeria douglasii, 153 Mikania cordifolia, odoratissima, hosts of

Endophylloides, 51

Mineral salts, effect of, on development of rusts, 190

MURRILL, WILLIAM A. The taxonomy of the Agaricaceae, 315

Mutation, from Xanthium canadense, 43

Observations on forest tree rusts, 327; on an Achyla lacking sexual reproduction, 354

Oenothera albida, 72; bipartita, 63, 64; gigas × Lamarckiana, 68; Lamarckiana, 65; Lamarckiana × gigas, 67; lata, 55, 59; lata × gigas, 66

Oenothera Reynoldsii, matroclinic inheritance in mutation crosses of, 119; pedigree of, 122, 123

Oenothera mutants, with fifteen and sixteen chromosomes, 53

OLIVE, E. W. and WHETZEL, H. H. Endophyllum-like rusts of Porto Rico, 44

Omphalia chrysophylla, development of, 222

Opuntia megacantha, 572

Origin and development of the galls produced by two cedar rust fungi, 241

Osmotic concentration of the tissue fluids of Jamaican montane rain-forest vegetation, 268

Overwintering of rusts, 332

Oxycoccus oxycoccus intermedius, 155

Pachistima myrsinites, 155

Payson, Edwin Blake. The perennial scapose Drabas of North America, 253

Pease, Vinnie A. Duration of leaves in evergreens, 145

Perennial scapose Drabas of North America, 253

Phytogeography of Manoa Valley, Hawaiian Islands, 561

Picea sitchensis, duration of leaves in, 149 Pigments of Endothia, 336

Pinus contorta, monticola, duration of leaves in, 149

Proteins, immunochemical studies of wheat, 417

Pseudotsuga taxifolia, duration of leaves in, 150

Pteridium aquilinum pubescens, host of Uredinopsis, 331

Puccinia Scleriae, 46; substriata, 46; coronata and Sorghi, used in experiments on relation to physiology of their hosts, 185

Pucciniastrum pustulatum, 334

Raphanus sativus, viability of seeds of, as affected by high temperatures and water content, 229

REDDICK, DONALD. Effect of soil temperature on the growth of bean plants and upon their susceptibility to a root parasite, 513

REES, CHARLES C. The rusts occurring on the genus Fritillaria, 368

Relation between evaporation and plant succession in a given area, 161

Revision of the Hawaiian species of the genus Cyrtandra, 604

Rhamnus purshiana, duration of leaves in, 152

Rhododendron californicum, 155

ROCK, JOSEPH F. Revision of the Hawaiian species of the genus Cyrtandra, section Cylindrocalyces Hillebr., 604 Rubus laciniatus, pedatus, ursinus, 153, 154

Rusts, of Porto Rico, 44; relation of, to the physiology of their hosts, 179; of forest trees, 327; on cedar, producing galls, 241; occurring on the genus Fritillaria, 368

SAWYER, W. H., JR. The development of *Cortinarius pholideus*, 520

Self-fertile plants of Cichorium, 375

Shull, Charles A. An interesting modification in Xanthium, 40

Spiraea Vanhouttei, distribution of abnormalities in, 624

Squash, used in light and chlorophyll formation experiments, 407

Stachytarpheta cayennensis, dichotoma, hosts of Endophyllum Stachytarphetae, 50

Sterility of seeds of Oenothera Reynoldsii, 125

STEVENS, NEIL E. The influence of certain climatic factors on the development of *Endothia parasitica* (Murr.) And., 1; The influence of temperature on the growth of *Endothia parasitica*, 112; (see Hawkins, Lon A., 336)

Stout, A. B. Fertility in *Cichorium* intybus: the sporadic occurrence of self-fertile plants among the progeny of self-sterile plants, 375

Succession, relation between, and evaporation, 161

Taxonomy of the Agaricaceae, 315

Taxus brevifolia, duration of leaves in, 150

Temperature, effect of, on development of rusts, 187; affecting viability of seeds of radish, 229; effect of, on susceptibility of bean plants to a root parasite, 513; effect of, on growth of bean plants, 513

Thuja plicata, duration of leaves in, 150 Toxicity of galactose and mannose for green plants and the antagonistic action of other sugars toward these, 430

Transpiration of Fraxinus, 533
Treviso, a red-leaved variety of chicory,
376

True, R. H. (See Harvey, R. B., 327)

Tsuga heterophylla, duration of leaves in,
151

Uredinopsis pteridis, on Abies grandis, 329; on Pteridium aquilinum pubescens, 331

Uredo Trichiliae, 46

Uromyces aecidiiformis, 369; Fritillariae, 372; Holwayi, 369; Miurae, 371; proëminens, 46

Vaccinium ovatum, 155; parvifolium, 152 Valerianodes cayennensis (syn.), 50 Viability of radish seeds as affected by high temperatures and water content, 229

WAGGONER, H. D. The viability of radish seeds (*Raphanus sativus* L.) as affected by high temperatures and water content, 299

Wedelia trilobata, host of Endophyllum Wedeliae, 49

WEIMER, J. L. The origin and development of the galls produced by two cedar fungi, 241

Weir, James R. and Hubert, Ernest E.
Observations on forest tree rusts, 327
Weston, Wm. H. Observations on an
Achlya lacking sexual reproduction,
354

Wheat protein, immunochemical studies of, 417

WHETZEL, H. H. (See Olive, E. W., 44)
WHITE, ORLAND E. Inheritance of
endosperm color in maize, 396

WODEHOUSE, R. P. Immunochemical studies of the plant proteins: proteins of the wheat seed and other cereals. Study IX, 417

Xanthium, an interesting modification in, 40

Xanthium canadense var. globuliforme, 41

Zea Caragua × California Golden Pop, inheritance of endosperm color in, 396